

Strata Guard-supported hardware components

This technical note lists the hardware supported by the v4.5 release of StillSecure® Strata Guard™. The following categories are covered:

- "Network Devices" on page 1
- "SCSI DEVICES" on page 4
- "SATA DEVICES" on page 6
- "CHIPSETS" on page 7
- "RAID DEVICES" on page 7
- "USB Devices" on page 7

Network Devices

3c501 "EtherLink" support	ARCnet COM20020 chipset driver
3c503 "EtherLink II" support	ARCnet COM90xx (IO mapped) chipset driver
3c505 "EtherLink Plus" support	ARCnet COM90xx (normal) chipset driver
3c507 "EtherLink 16" support (EXPERIMENTAL)	ARCnet COM90xx (RIM I) chipset driver
3c509/3c529 (MCA)/3c569B (98)/3c579 "EtherLink III" support	ARCnet support
3c515 ISA "Fast EtherLink"	Ariadne support
3c523 "EtherLink/MC" support	ARM EBSA110 AM79C961A support
3c527 "EtherLink/MC 32" support (EXPERIMENTAL)	Asix AX88190 PCMCIA support
3c590/3c900 series (592/595/597) "Vortex/Boomerang" support	AT&T/Lucent old WaveLAN & DEC RoamAbout DS ISA support
3Com 3c574 PCMCIA support	AT&T/Lucent old WaveLAN Pcmcia wireless support
3Com 3c589 PCMCIA support	AT1700/1720/RE1000Plus(C-Bus) support (EXPERIMENTAL)
3COM cards	Atari Lance support
3cr990 series "Typhoon" support	AT-LAN-TEC/RealTek pocket adapter support
A2065 support	ATM over TCP
Acorn Ether1 support	Atmel at76c502/at76c504 PCMCIA cards
Acorn/ANT Ether3 support	Atmel at76c50x chipset 802.11b support
Adaptec Starfire/DuraLAN support	Aviator/Raytheon 2.4MHz wireless support
Aironet Arlan 655 & IC2200 DS support	Baget AMD LANCE support
Alteon AceNIC/3Com 3C985/NetGear GA620 Gigabit support	BioNet-100 support
Altera Ether00 support	BMAC (G3 ethernet) support
AMD 8111 (new PCI lance) support	Bonding driver support
AMD LANCE and PCnet (AT1500 and NE2100) support	BPO Ethernet driver
AMD PCnet32 PCI support	Broadcom 4400 ethernet support (EXPERIMENTAL)
Ansel Communications EISA 3200 support (EXPERIMENTAL)	BVME6000 Ethernet support
Apricot Xen-II on board Ethernet	Cabletron E21xx support
	CFI Flash device mapped on AMD NetSc520

CFI Flash device mapped on DIL/Net PC	FMV-181/182/183/184 support (OBSOLETE)
CFI Flash device mapped on the FortuNet board	Fujitsu FMV-J18x PCMCIA support
Cisco/Aironet 34X/35X/4500/4800 ISA and PCI cards	Fusion MPT LAN driver
Cisco/Aironet 34X/35X/4500/4800 PCMCIA cards	General Instruments Surfboard 1000
COM20020 ARCnet PCMCIA support	Generic DECchip & DIGITAL EtherWORKS PCI/EISA
CS89x0 support	Generic Media Independent Interface device support
CTC device support	Gianfar Ethernet
Davicom DM910x/DM980x support	Gigabit Ethernet device support
DEC LANCE ethernet controller support	Hermes chipset 802.11b support (Orinoco/Prism2/Symbol)
DECchip Tulip (dc2114x) PCI support	Hermes in PLX9052 based PCI adaptor support (Netgear MA301 etc.) (EXPERIMENTAL)
DEPCA, DE10x, DE200, DE201, DE202, DE422 support	Hermes PCMCIA card support
depends on NET	HP 10/100VG PCLAN (ISA, EISA, PCI) support
Digi Intl. RightSwitch SE-X support	HP on-board LANCE support
D-Link DE600 pocket adapter support	HP PCLAN (27245 and other 27xxx series) support
D-Link DE620 pocket adapter support	HP PCLAN+ (27247B and 27252A) support
D-Link DL2000-based Gigabit Ethernet support	Hydra support
Dummy net driver support	IBM LAN Adapter/A support
Early DECchip Tulip (dc2104x) PCI support (EXPERIMENTAL)	IBM LAN Virtual Ethernet support
Efficient Networks ENI155P	IBM PCMCIA tokenring adapter support
Efficient Networks Speedstream 3010	ICL EtherTeam 16i/32 support
EISA, VLB, PCI and on board controllers	I-cubed EtherH/ANT EtherM support
Embedded Planet RPX Lite/Classic support	Intel(R) PRO/100+ support
Enable CAP mode packet interface	Intel(R) PRO/1000 Gigabit Ethernet support
Enable old ARCNet packet format (RFC 1051)	IP-over-InfiniBand
Enable raw mode packet interface	IPv6 support for gigabit ethernet
Enable standard ARCNet packet format (RFC 1201)	iSeries Virtual Ethernet driver support
EQL (serial line load balancing) support	IUCV network device support (VM only)
EtherExpress 16 support	Lan Channel Station Interface
EtherExpressPro support/EtherExpress 10 (i82595) support	LAPB over Ethernet driver (EXPERIMENTAL)
EtherExpressPro/100 support (eepro100, original Becker driver)	Lasi ethernet
Ethernet (10 or 100Mbit)	LP486E on board Ethernet
Ethernet Gadget (with CDC Ethernet support)	MACE (Power Mac ethernet) support
Ethernet over 1394	Macintosh (AV) onboard MACE ethernet (EXPERIMENTAL)
Ethertap network tap	Macintosh CS89x0 based ethernet cards
EtherWORKS 3 (DE203, DE204, DE205) support	Macintosh NS 8390 based ethernet cards
FEC ethernet controller (of ColdFire 5272)	Macintosh SONIC based ethernet (onboard, NuBus, LC, CS)
Fibre Channel driver support	

MIPS AU1000 Ethernet support	Planet WL3501 PCMCIA cards
MIPS GT96100 Ethernet support	PLIP (parallel port) support
MIPS JAZZ onboard SONIC Ethernet support	Pocket and portable adapters
Motorola 68360 ethernet controller	PPP (point-to-point protocol) support
Motorola 8xx FEC driver	PPP over Ethernet (EXPERIMENTAL)
Multi-purpose USB Networking Framework	QuickNet Internet LineJack/PhoneJack PCMCIA support
MV-643XX Ethernet support	QuickNet Internet LineJack/PhoneJack support
MVME147 (Lance) Ethernet support	Racal-Interlan (Micom) NI cards
MVME16x Ethernet support	Racal-Interlan EISA ES3210 support (EXPERIMENTAL)
Mylex EISA LNE390A/B support (EXPERIMENTAL)	Raw HDLC Ethernet device support
MyriCOM Gigabit Ethernet support	Realtek 8169 gigabit ethernet support
Myson MTD-8xx PCI Ethernet support	RealTek RTL-8139 C+ PCI Fast Ethernet Adapter support (EXPERIMENTAL)
National DP83902AV (Oak ethernet) support	RealTek RTL-8139 PCI Fast Ethernet Adapter support
National DP83902AV support	Receive hardware checksums
National Semiconductor DP8381x series PCI Ethernet support	Reverse Engineered nForce Ethernet support (EXPERIMENTAL)
NE/2 (ne2000 MCA version) support	SB1250 Ethernet support
NE2000 compatible PCMCIA support	SEQ8005 support (EXPERIMENTAL)
NE2000 compatible support for H8/300	SGI IOC3 Ethernet
NE2000/NE1000 support	SGI O2 MACE Fast Ethernet support
NETjet card	SGI Seeq ethernet controller support
NETspider U card	SiS 900/7016 PCI Fast Ethernet Adapter support
NetWinder Button	Size of DIL/Net PC flash boot partition
NetWinder flash support	SK_G16 support (OBSOLETE)
NetWinder thermometer support	SKnet MCA support
NetWinder WB83C977 watchdog	SLIP (serial line) support
Network block device support	SMC 9194 support
Network console logging support (EXPERIMENTAL)	SMC 91Cxx PCMCIA support
New Media PCMCIA support	SMC EtherPower II
NI5010 support (EXPERIMENTAL)	SMC Ultra MCA support
NI5210 support	SMC Ultra support
NI6510 support	SMC Ultra32 EISA support
Novell/Eagle/Microdyne NE3210 EISA support (EXPERIMENTAL)	STRIP (Metricom star mode radio IP)
Other ISA cards	Sun BigMAC 10/100baseT support (EXPERIMENTAL)
Packet Engines Yellowfin Gigabit-NIC support (EXPERIMENTAL)	Sun GEM support
PAMsNet support	Sun Happy Meal 10/100baseT support
PCI NE2000 and clones support (see help)	Sun LANCE support
PCMCIA NE2000 support	Sun QuadEthernet support
Philips SAA9730 Ethernet support (EXPERIMENTAL)	

Sun3 on-board Intel 82586 support	USB RTL8150 based ethernet device support (EXPERIMENTAL)
Sun3/Sun3x on-board LANCE support	USB ZyXEL omni.net LCD Plus Driver (EXPERIMENTAL)
Sundance Alta support	VIA Rhine support
Support for COM20020 on ISA	VIA Velocity support
Support for COM20020 on PCI	VLAN support for gigabit ethernet
Support synchronous PPP	WD80*3 support
TI ThunderLAN support	Western Digital/SMC cards
TOSHIBA TC35815 Ethernet support	Winbond W89c840 Ethernet support
Traffic Shaper (EXPERIMENTAL)	Xircom 16-bit PCMCIA support
Transmit hardware checksums	Xircom CardBus support (new driver)
tristate 'Intersil Prism GT/Duette/Indigo PCI/ Cardbus'	Xircom Netwave AirSurfer Pcmcia wireless support
Universal TUN/TAP device driver support	Xircom Tulip-like CardBus support (old driver)
USB CATC NetMate-based Ethernet device support (EXPERIMENTAL)	ZeitNet ZN1221/ZN1225
USB KLSI KL5USB101-based ethernet device support	Zenith Z-Note support (EXPERIMENTAL)
USB Pegasus/Pegasus-II based ethernet device support	Zorro NS8390-based Ethernet support

SCSI DEVICES

3ware 5/6/7/8xxx ATA-RAID support	Amiga NCR53c710 SCSI support (EXPERIMENTAL)
3ware 9xxx SATA-RAID support	ARXE SCSI support
53C94 (Power Mac external SCSI) support	Atari native SCSI support
7000FASST SCSI support	Aztech/Orchid/Okano/Wearnes/TXC/CyDROM CDROM support
A2091/A590 WD33C93A support	Blizzard 1230IV/1260 SCSI support
A3000 WD33C93A support	Blizzard 2060 SCSI support
ACARD SCSI support	BSC Oktagon SCSI support (EXPERIMENTAL)
Acorn SCSI card (aka30) support	BusLogic SCSI support
Adaptec AACRAID support	Compaq Fibre Channel 64-bit/66Mhz HBA support
Adaptec AHA152X/2825 support	CumanaSCSI I support (EXPERIMENTAL)
Adaptec AHA1542 support	CumanaSCSI II support
Adaptec AHA1740 support	CyberStorm Mk II SCSI support
Adaptec AIC79xx U320 support	CyberStorm SCSI support
Adaptec AIC7xxx Fast	DEC NCR53C94 Scsi Driver
Adaptec AIC7xxx support (old driver)	DEC SII Scsi Driver
Adaptec I2O RAID support	Decode registers during diagnostics
AdvanSys SCSI support	default tagged command queue depth
AHCI SATA support	DMA addressing mode
allow FAST-SCSI [10MHz]	DMX3191D SCSI support
Always IN2000 SCSI support	

DTC3180/3280 SCSI support	ISP16/MAD16/Mozart soft configurable cdrom interface support
EATA ISA/EISA/PCI (DPT and generic EATA/DMA-compliant boards) support	legacy /proc/scsi/ support
EATA-PIO (old DPT PM2001, PM2012A) support	Long delays for Toshiba CD-ROMs
EcoScsi support (EXPERIMENTAL)	LSI Logic Management Module (New Driver)
EESOX support	LSI Logic MegaRAID Driver (New Driver)
enable adapter dump support	Macintosh NCR5380 SCSI
enable driver internal trace	Macintosh NCR53c9[46] SCSI
enable elevator sorting	Matsushita/Panasonic/Creative, Longshine, TEAC CDROM support
Enable NCR53c400 extensions	maximum number of queued commands
enable profiling	maximum synchronous transfer rate (MB/s) (0 = async)
enable tagged command queueing	MESH (Power Mac internal SCSI) support
Enable vendor-specific extensions (for SCSI CDROM)	Microtek X6USB scanner support
Fastlane SCSI support	MIPS JAZZ FAS216 SCSI support
FiberChannel Transport Attributes	Mitsumi (standard) [no XA/Multisession] CDROM support
Fibre Channel and FC4 SCSI support	Mitsumi [XA/MultiSession] CDROM support
Fibre Channel driver support	NCR Dual 700 MCA SCSI support
Fusion MPT (base + ScsiHost) drivers	NCR MCA 53C9x SCSI support
Future Domain 16xx SCSI/AHA-2920A support	NCR Quad 720 MCA SCSI support
Future Domain MCS-600/700 SCSI support	NCR53c406a SCSI support
Generic NCR5380/53c400 SCSI MMIO support	NCR53C710 SCSI driver for BVME6000
Generic NCR5380/53c400 SCSI PIO support	NCR53C710 SCSI driver for MVME16x
Goldstar R420 CDROM support	NinjaSCSI-3 / NinjaSCSI-32Bi (16bit) PCMCIA support
GVP Series II WD33C93A support	not allow targets to disconnect
HP Lasi SCSI support for 53c700/710	NVIDIA SATA support
HP53xx USB scanner support	Oak SCSI support (EXPERIMENTAL)
I2O SCSI OSM	Omit FlashPoint support
IBM Power Linux RAID adapter support	Optics Storage DOLPHIN 8000AT CDROM support
IBM ServeRAID support	Pacific Digital SATA QStor support
IBM Virtual SCSI support	Parallel SCSI (SPI) Transport Attributes
IBMMCA SCSI support	PAS16 SCSI support
Include loadable firmware in driver	PCI2000 support
initial bus reset delay (ms) (0 = no reset)	PCI2220i support
Initio 9100U(W) support	Philips/LMS CM206 CDROM support
Initio INI-A100U2W support	PowerTec support
Intel PIIX/ICH SATA support	ppa/imm option - Assume slow parport control register
Intel/ICP (former GDT SCSI Disk Array) RAID Controller support	ppa/imm option - Use slow (but safe) EPP-16
IOMEGA parallel port (imm - newer drives)	Probe all LUNs on each SCSI device
IOMEGA parallel port (ppa - older drives)	
iSCSI Transport Attributes	

Promise SATA SX4 support	ServerWorks Frodo / Apple K2 SATA support
Promise SATA TX2/TX4 support	SGI WD93C93 SCSI Driver
PSI240i support	Silicon Image SATA support
PTI Qlogic, ISP Driver	Simple 53c710 SCSI support (Compaq, NCR machines)
Qlogic FAS SCSI support	SiS 964/180 SATA support
Qlogic ISP FC SCSI support	Sony CDU31A/CDU33A CDRROM support
Qlogic ISP SCSI support (old driver)	Sony CDU535 CDRROM support
QLogic ISP2100 host adapter family support	Sparc ESP Scsi Driver
QLogic ISP2200 host adapter family support	Sun3 NCR5380 SCSI
QLogic ISP2300 host adapter family support	Sun3x ESP SCSI
QLogic ISP2322 host adapter family support	SYM53C8XX Version 2 SCSI support
QLogic ISP63xx host adapter family support	Symbios 53c416 SCSI support
Qlogic QLA 1020/1040 SCSI support	synchronous transfers frequency in MHz
Qlogic QLA 1240/1x80/1x160 SCSI support	Tekram DC390(T) and Am53/79C974 SCSI support
Reset SCSI-devices at boottime	Tekram DC395(U/UW/F) and DC315(U) SCSI support (EXPERIMENTAL)
Sanyo CDR-H94A CDRROM support	Trantor T128/T128F/T228 SCSI support
SBP-2 support (Harddisks etc.)	ULi Electronics SATA support
SCSI CDRROM support	UltraStor 14F/34F support
SCSI debugging host simulator	UltraStor SCSI support
SCSI device support	use port IO
SCSI disk support	Verbose SCSI error reporting (kernel size +=12K)
SCSI emulation support	VIA SATA support
SCSI generic support	VITESSE VSC-7174 SATA support
SCSI logging facility	WD33C93 SCSI driver for MVME147
SCSI OnStream SC-x0 tape support	Workbit NinjaSCSI-32Bi/UDE support
SCSI tape support	Zalon SCSI support
Seagate ST-02 and Future Domain TMC-8xx SCSI support	
Serial ATA (SATA) support	

SATA DEVICES

3ware 9xxx SATA-RAID support	ServerWorks Frodo / Apple K2 SATA support
AHCI SATA support	Silicon Image SATA support
Intel PIIX/ICH SATA support	SiS 964/180 SATA support
NVIDIA SATA support	Support for SATA (deprecated; conflicts with libata SATA driver)
Pacific Digital SATA QStor support	ULi Electronics SATA support
Promise SATA SX4 support	VIA SATA support
Promise SATA SX8 support	VITESSE VSC-7174 SATA support
Promise SATA TX2/TX4 support	
Serial ATA (SATA) support	

CHIPSETS

ALI chipset support	HP ZX1 chipset AGP support
AMD Irongate, 761, and 762 chipset support	IBM Lanstreamer chipset PCI adapter support
Amiga AGA chipset support	IBM Olympic chipset PCI adapter support
Amiga ECS chipset support	IBM Tropic chipset based adapter support
Amiga native chipset support	Intel 440LX/BX/GX, I8xx and E7x05 chipset support
Amiga OCS chipset support	Intel 460GX chipset support
ARCnet COM20020 chipset driver	Intel i865 chipset support
ARCnet COM90xx (IO mapped) chipset driver	Marvell Yukon Chipset / SysKonnnect SK-98xx Support
ARCnet COM90xx (normal) chipset driver	NVIDIA nForce/nForce2 chipset support
ARCnet COM90xx (RIM I) chipset driver	PCI IDE chipset support
Atari native chipset support	Serverworks LE/HE chipset support
ATI chipset support	SiS chipset support
Atmel at76c50x chipset 802.11b support	SuperIO chipset support (EXPERIMENTAL)
CMD640 chipset bugfix/support	Support for thermal mgmnt on laptops with ADT 746x chipset
generic/default IDE chipset support	VIA chipset support
Hermes chipset 802.11b support (Orinoco/Prism2/Symbol)	
HiSax SiemensChipSet driver support	

RAID DEVICES

3ware 5/6/7/8xxx ATA-RAID support	Mylex DAC960/DAC1100 PCI RAID Controller support
3ware 9xxx SATA-RAID support	RAID support
Adaptec AACRAID support	RAID-0 (striping) mode
Adaptec I2O RAID support	RAID-1 (mirroring) mode
IBM Power Linux RAID adapter support	RAID-10 (mirrored striping) mode (EXPERIMENTAL)
IBM ServeRAID support	RAID-4/RAID-5 mode
Intel/ICP (former GDT SCSI Disk Array) RAID Controller support	RAID-6 mode (EXPERIMENTAL)
LSI Logic Management Module (New Driver)	
LSI Logic MegaRAID Driver (New Driver)	

USB Devices

/dev/hiddev raw HID device support	Cypress USB thermometer driver support
Aiptek 6000U/8000U tablet support	DABUSB driver
Alcatel Speedtouch USB support	Datafab Compact Flash Reader support (EXPERIMENTAL)
ATI / X10 USB RF remote control	depends on USB_GADGET_PXA2XX
Berkshire Products USB-PC Watchdog	
CPiA USB Lowlevel Support	

DiBcom USB DVB-T devices (see help for a complete device list)	SanDisk SDDR-09 (and other SmartMedia) support (EXPERIMENTAL)
D-Link USB FM radio support (EXPERIMENTAL)	SanDisk SDDR-55 SmartMedia support (EXPERIMENTAL)
DS9490R transport layer driver	SCO (voice) support
DS9490R USB <	Siemens ID USB Mouse Fingerprint sensor support
Dynamic USB minor allocation (EXPERIMENTAL)	SigmaTel STIr4200 bridge (EXPERIMENTAL)
eGalax TouchKit USB Touchscreen Driver	SL811HS HCD support
EHCI HCD (USB 2.0) support	ST5481 USB ISDN modem (EXPERIMENTAL)
EMI 2 6 USB Audio interface support	Support for Host-side USB
EMI 6 2m USB Audio interface support	Technotrend/Hauppauge Nova-USB devices
Enable support for some misdesigned (see help) devices, which identify with wrong IDs	Technotrend/Hauppauge USB DEC devices
Enforce USB bandwidth allocation (EXPERIMENTAL)	Terratec CinergyT2/qanu USB2 DVB-T receiver
File-backed Storage Gadget testing version	UHCI HCD (most Intel and VIA) support
Freecom USB/ATAPI Bridge support	USB 3com HomeConnect (aka vicam) support (EXPERIMENTAL)
Generic USB ATM/DSL core I/O support	USB Audio support
Griffin PowerMate and Contour Jog support	USB Auerswald ISDN support (EXPERIMENTAL)
HCI BCM203x USB driver	USB Belkin and Peracom Single Port Serial Driver
HCI BlueFRITZ! USB driver	USB Bluetooth TTY support
HCI BPA10x USB driver	USB CATC NetMate-based Ethernet device support (EXPERIMENTAL)
HCI USB driver	USB ConnectTech WhiteHEAT Serial Driver
HFC USB based ISDN modems (EXPERIMENTAL)	USB Cypress M8 USB Serial Driver
HNP Test Device	USB device filesystem
HP CD-Writer 82xx support (EXPERIMENTAL)	USB Diamond Rio500 support (EXPERIMENTAL)
HP53xx USB scanner support	USB Digi International AccelePort USB Serial Driver
I-Force USB joysticks and wheels	USB Empeg empeg-car Mark I/II Driver
IrDA USB dongles	USB FTDI Single Port Serial Driver (EXPERIMENTAL)
ISD-200 USB/ATA Bridge support	USB Garmin GPS driver
KB Gear JamStudio tablet support	USB Generic Serial Driver
Lexar Jumpshot Compact Flash Reader (EXPERIMENTAL)	USB Handspring Visor / Palm m50x / Sony Clie Driver
Low Performance USB Block driver	USB HIDBP Keyboard (simple Boot) support
Microtech/ZiO! CompactFlash/SmartMedia support	USB HIDBP Mouse (simple Boot) support
Microtek X6USB scanner support	USB Human Interface Device (full HID) support
MicroTouch USB Touchscreen Driver	USB IBM (Xirlink) C-it Camera support
Multi-purpose USB Networking Framework	USB Inside Out Edgeport Serial Driver
Number of queued USB Request Blocks for Highspeed Stream Transfers	USB Inside Out Edgeport Serial Driver (TI devices)
OHCI HCD support	
Rely on OTG Targeted Peripherals List	
RNDIS support (EXPERIMENTAL)	

USB IPWireless (3G UMTS TDD) Driver (EXPERIMENTAL)	USB Prolific 2303 Single Port Serial Driver
USB IR Dongle Serial Driver (EXPERIMENTAL)	USB REINER SCT cyberJack pinpad/e-com chipcard reader (EXPERIMENTAL)
USB Keyspan MPR Firmware	USB RTL8150 based ethernet device support (EXPERIMENTAL)
USB Keyspan PDA Single Port Serial Driver	USB Safe Serial (Encapsulated) Driver (EXPERIMENTAL)
USB Keyspan USA-18X Firmware	USB SE401 Camera support
USB Keyspan USA-19 Firmware	USB Secure Encapsulated Driver - Padded
USB Keyspan USA-19QI Firmware	USB Serial Console device support (EXPERIMENTAL)
USB Keyspan USA-19QW Firmware	USB Serial Converter support
USB Keyspan USA-19W Firmware	USB SN9C10x PC Camera Controller support
USB Keyspan USA-28 Firmware	USB STV680 (Pencam) Camera support
USB Keyspan USA-28X Firmware	USB suspend/resume (EXPERIMENTAL)
USB Keyspan USA-28XA Firmware	USB testing driver (DEVELOPMENT)
USB Keyspan USA-28XB Firmware	USB TI 3410/5052 Serial Driver
USB Keyspan USA-49W Firmware	USB verbose debug messages
USB Keyspan USA-49WLC Firmware	USB W996[87]CF JPEG Dual Mode Camera support
USB Keyspan USA-xxx Serial Driver	USB Xircom / Entegra Single Port Serial Driver
USB KL5KUSB105 (Palmconnect) Driver (EXPERIMENTAL)	USB ZyXEL omni.net LCD Plus Driver (EXPERIMENTAL)
USB KLSI KL5USB101-based ethernet device support	USS720 parport driver
USB KOBIL chipcard reader	Wacom Intuos/Graphire tablet support
USB Konica Webcam support	X-Box gamepad support
USB LCD driver support	
USB LED driver support	
USB Lego Infrared Tower support (EXPERIMENTAL)	
USB Mass Storage support	
USB Mass Storage verbose debug	
USB Mass Storage Write-Protected Media Detection (EXPERIMENTAL)	
USB MCT Single Port Serial Driver	
USB MIDI support	
USB Modem (CDC ACM) support	
USB Mustek MDC800 Digital Camera support (EXPERIMENTAL)	
USB OV511 Camera support	
USB Pegasus/Pegasus-II based ethernet device support	
USB PhidgetKit support	
USB PhidgetServo support	
USB PocketPC PDA Driver	
USB Printer support	