

Supported Hardware Technical Note

This technical note lists the hardware supported by the v5.0 release of StillSecure® Strata Guard®. The following categories are covered:

- "Network Devices" on page 1
- "SCSI Devices" on page 4
- "SATA Devices" on page 6
- "Chipsets" on page 6
- "RAID Devices" on page 7
- "USB Devices" on page 7

Network Devices

3c501 "EtherLink" support
3c503 "EtherLink II" support
3c505 "EtherLink Plus" support
3c507 "EtherLink 16" support (EXPERIMENTAL)
3c509/3c529 (MCA)/3c569B (98)/3c579 "EtherLink III" support
3c515 ISA "Fast EtherLink"
3c523 "EtherLink/MC" support
3c527 "EtherLink/MC 32" support (EXPERIMENTAL)
3c590/3c900 series (592/595/597) "Vortex/Boomerang" support
3Com 3c574 PCMCIA support
3Com 3c589 PCMCIA support
3COM cards
3cr990 series "Typhoon" support
A2065 support
Acorn Ether1 support
Acorn/ANT Ether3 support
Adaptec Starfire/DuraLAN support
Aironet Arlan 655 & IC2200 DS support
Alteon AceNIC/3Com 3C985/NetGear GA620 Gigabit support
Altera Ether00 support
AMD 8111 (new PCI lance) support
AMD LANCE and PCnet (AT1500 and NE2100) support
AMD PCnet32 PCI support
Ansel Communications EISA 3200 support (EXPERIMENTAL)
Apricot Xen-II on board Ethernet
ARCnet COM20020 chipset driver
ARCnet COM90xx (IO mapped) chipset driver
ARCnet COM90xx (normal) chipset driver
ARCnet COM90xx (RIM I) chipset driver
ARCnet support
Ariadne support
ARM EBSA110 AM79C961A support
Asix AX88190 PCMCIA support
AT&T/Lucent old WaveLAN & DEC RoamAbout DS ISA support
AT&T/Lucent old WaveLAN Pcmcia wireless support
AT1700/1720/RE1000Plus(C-Bus) support (EXPERIMENTAL)
Atari Lance support
AT-LAN-TEC/RealTek pocket adapter support
ATM over TCP
Atmel at76c502/at76c504 PCMCIA cards
Atmel at76c50x chipset 802.11b support
Aviator/Raytheon 2.4MHz wireless support
Baget AMD LANCE support
BioNet-100 support
BMAC (G3 ethernet) support
Bonding driver support
BPQ Ethernet driver

Broadcom 4400 ethernet support (EXPERIMENTAL)	FEC ethernet controller (of ColdFire 5272)
BVME6000 Ethernet support	Fibre Channel driver support
Cabletron E21xx support	FMV-181/182/183/184 support (OBSOLETE)
CFI Flash device mapped on AMD NetSc520	Fujitsu FMV-J18x PCMCIA support
CFI Flash device mapped on DIL/Net PC	Fusion MPT LAN driver
CFI Flash device mapped on the FortuNet board	General Instruments Surfboard 1000
Cisco/Aironet 34X/35X/4500/4800 ISA and PCI cards	Generic DECchip & DIGITAL EtherWORKS PCI/EISA
Cisco/Aironet 34X/35X/4500/4800 PCMCIA cards	Generic Media Independent Interface device support
COM20020 ARCnet PCMCIA support	Gianfar Ethernet
CS89x0 support	Gigabit Ethernet device support
CTC device support	Hermes chipset 802.11b support (Orinoco/Prism2/Symbol)
Davicom DM910x/DM980x support	Hermes in PLX9052 based PCI adaptor support (Netgear MA301 etc.) (EXPERIMENTAL)
DEC LANCE ethernet controller support	Hermes PCMCIA card support
DECchip Tulip (dc2114x) PCI support	HP 10/100VG PCLAN (ISA, EISA, PCI) support
DEPCA, DE10x, DE200, DE201, DE202, DE422 support depends on NET	HP on-board LANCE support
Digi Intl. RightSwitch SE-X support	HP PCLAN (27245 and other 27xxx series) support
D-Link DE600 pocket adapter support	HP PCLAN+ (27247B and 27252A) support
D-Link DE620 pocket adapter support	Hydra support
D-Link DL2000-based Gigabit Ethernet support	IBM LAN Adapter/A support
Dummy net driver support	IBM LAN Virtual Ethernet support
Early DECchip Tulip (dc2104x) PCI support (EXPERIMENTAL)	IBM PCMCIA tokenring adapter support
Efficient Networks ENI155P	ICL EtherTeam 16i/32 support
Efficient Networks Speedstream 3010	I-cubed EtherH/ANT EtherM support
EISA, VLB, PCI and on board controllers	Intel(R) PRO/100+ support
Embedded Planet RPX Lite/Classic support	Intel(R) PRO/1000 Gigabit Ethernet support
Enable CAP mode packet interface	IP-over-InfiniBand
Enable old ARCNet packet format (RFC 1051)	IPv6 support for gigabit ethernet
Enable raw mode packet interface	iSeries Virtual Ethernet driver support
Enable standard ARCNet packet format (RFC 1201)	IUCV network device support (VM only)
EQL (serial line load balancing) support	Lan Channel Station Interface
EtherExpress 16 support	LAPB over Ethernet driver (EXPERIMENTAL)
EtherExpressPro support/EtherExpress 10 (i82595) support	Lasi ethernet
EtherExpressPro/100 support (eepro100, original Becker driver)	LP486E on board Ethernet
Ethernet (10 or 100Mbit)	MACE (Power Mac ethernet) support
Ethernet Gadget (with CDC Ethernet support)	Macintosh (AV) onboard MACE ethernet (EXPERIMENTAL)
Ethernet over 1394	Macintosh CS89x0 based ethernet cards
Ethertap network tap	Macintosh NS 8390 based ethernet cards
EtherWORKS 3 (DE203, DE204, DE205) support	Macintosh SONIC based ethernet (onboard, NuBus, LC, CS)
	MIPS AU1000 Ethernet support
	MIPS GT96100 Ethernet support

MIPS JAZZ onboard SONIC Ethernet support
Motorola 68360 ethernet controller
Motorola 8xx FEC driver
Multi-purpose USB Networking Framework
MV-643XX Ethernet support
MVME147 (Lance) Ethernet support
MVME16x Ethernet support
Mylex EISA LNE390A/B support (EXPERIMENTAL)
MyriCOM Gigabit Ethernet support
Myson MTD-8xx PCI Ethernet support
National DP83902AV (Oak ethernet) support
National DP83902AV support
National Semiconductor DP8381x series PCI Ethernet support
NE/2 (ne2000 MCA version) support
NE2000 compatible PCMCIA support
NE2000 compatible support for H8/300
NE2000/NE1000 support
NETjet card
NETspider U card
NetWinder Button
NetWinder flash support
NetWinder thermometer support
NetWinder WB83C977 watchdog
Network block device support
Network console logging support (EXPERIMENTAL)
New Media PCMCIA support
NI5010 support (EXPERIMENTAL)
NI5210 support
NI6510 support
Novell/Eagle/Microdyne NE3210 EISA support (EXPERIMENTAL)
Other ISA cards
Packet Engines Yellowfin Gigabit-NIC support (EXPERIMENTAL)
PAMsNet support
PCI NE2000 and clones support (see help)
PCMCIA NE2000 support
Philips SAA9730 Ethernet support (EXPERIMENTAL)
Planet WL3501 PCMCIA cards
PLIP (parallel port) support
Pocket and portable adapters
PPP (point-to-point protocol) support
PPP over Ethernet (EXPERIMENTAL)
QuickNet Internet LineJack/PhoneJack PCMCIA support
QuickNet Internet LineJack/PhoneJack support
Racal-Interlan (Micom) NI cards
Racal-Interlan EISA ES3210 support (EXPERIMENTAL)
Raw HDLC Ethernet device support
Realtek 8169 gigabit ethernet support
RealTek RTL-8139 C+ PCI Fast Ethernet Adapter support (EXPERIMENTAL)
RealTek RTL-8139 PCI Fast Ethernet Adapter support
Receive hardware checksums
Reverse Engineered nForce Ethernet support (EXPERIMENTAL)
SB1250 Ethernet support
SEEQ8005 support (EXPERIMENTAL)
SGI IOC3 Ethernet
SGI O2 MACE Fast Ethernet support
SGI Seeq ethernet controller support
SiS 900/7016 PCI Fast Ethernet Adapter support
Size of DIL/Net PC flash boot partition
SK_G16 support (OBSOLETE)
SKnet MCA support
SLIP (serial line) support
SMC 9194 support
SMC 91Cxx PCMCIA support
SMC EtherPower II
SMC Ultra MCA support
SMC Ultra support
SMC Ultra32 EISA support
STRIP (Metricom star mode radio IP)
Sun BigMAC 10/100baseT support (EXPERIMENTAL)
Sun GEM support
Sun Happy Meal 10/100baseT support
Sun LANCE support
Sun QuadEthernet support
Sun3 on-board Intel 82586 support
Sun3/Sun3x on-board LANCE support
Sundance Alta support
Support for COM20020 on ISA
Support for COM20020 on PCI

Support synchronous PPP	VIA Rhine support
TI ThunderLAN support	VIA Velocity support
TOSHIBA TC35815 Ethernet support	VLAN support for gigabit ethernet
Traffic Shaper (EXPERIMENTAL)	WD80*3 support
Transmit hardware checksums	Western Digital/SMC cards
tristate 'Intersil Prism GT/Duette/Indigo PCI/Cardbus'	Winbond W89c840 Ethernet support
Universal TUN/TAP device driver support	Xircom 16-bit PCMCIA support
USB CATC NetMate-based Ethernet device support (EXPERIMENTAL)	Xircom CardBus support (new driver)
USB KLSI KL5USB101-based ethernet device support	Xircom Netwave AirSurfer Pcmcia wireless support
USB Pegasus/Pegasus-II based ethernet device support	Xircom Tulip-like CardBus support (old driver)
USB RTL8150 based ethernet device support (EXPERIMENTAL)	ZeitNet ZN1221/ZN1225
USB ZyXEL omni.net LCD Plus Driver (EXPERIMENTAL)	Zenith Z-Note support (EXPERIMENTAL)
	Zorro NS8390-based Ethernet support

SCSI Devices

3ware 5/6/7/8xxx ATA-RAID support	Blizzard 1230IV/1260 SCSI support
3ware 9xxx SATA-RAID support	Blizzard 2060 SCSI support
53C94 (Power Mac external SCSI) support	BSC Oktagon SCSI support (EXPERIMENTAL)
7000FASST SCSI support	BusLogic SCSI support
A2091/A590 WD33C93A support	Compaq Fibre Channel 64-bit/66Mhz HBA support
A3000 WD33C93A support	CumanaSCSI I support (EXPERIMENTAL)
ACARD SCSI support	CumanaSCSI II support
Acorn SCSI card (aka30) support	CyberStorm Mk II SCSI support
Adaptec AACRAID support	CyberStorm SCSI support
Adaptec AHA152X/2825 support	DEC NCR53C94 Scsi Driver
Adaptec AHA1542 support	DEC SII Scsi Driver
Adaptec AHA1740 support	Decode registers during diagnostics
Adaptec AIC79xx U320 support	default tagged command queue depth
Adaptec AIC7xxx Fast	DMA addressing mode
Adaptec AIC7xxx support (old driver)	DMX3191D SCSI support
Adaptec I2O RAID support	DTC3180/3280 SCSI support
AdvanSys SCSI support	EATA ISA/EISA/PCI (DPT and generic EATA/DMA-compliant boards) support
AHCI SATA support	EATA-PIO (old DPT PM2001, PM2012A) support
allow FAST-SCSI [10MHz]	EcoScsi support (EXPERIMENTAL)
Always IN2000 SCSI support	EESOX support
Amiga NCR53c710 SCSI support (EXPERIMENTAL)	enable adapter dump support
ARXE SCSI support	enable driver internal trace
Atari native SCSI support	enable elevator sorting
Aztech/Orchid/Okano/Wearnes/TXC/CyDROM CDROM support	Enable NCR53c400 extensions

enable profiling

enable tagged command queuing

Enable vendor-specific extensions (for SCSI CDROM)

Fastlane SCSI support

FiberChannel Transport Attributes

Fibre Channel and FC4 SCSI support

Fibre Channel driver support

Fusion MPT (base + ScsiHost) drivers

Future Domain 16xx SCSI/AHA-2920A support

Future Domain MCS-600/700 SCSI support

Generic NCR5380/53c400 SCSI MMIO support

Generic NCR5380/53c400 SCSI PIO support

Goldstar R420 CDROM support

GVP Series II WD33C93A support

HP Lasi SCSI support for 53c700/710

HP53xx USB scanner support

I2O SCSI OSM

IBM Power Linux RAID adapter support

IBM ServeRAID support

IBM Virtual SCSI support

IBMMCA SCSI support

Include loadable firmware in driver

initial bus reset delay (ms) (0 = no reset)

Initio 9100U(W) support

Initio INI-A100U2W support

Intel PIIX/ICH SATA support

Intel/ICP (former GDT SCSI Disk Array) RAID Controller support

IOMEGA parallel port (imm - newer drives)

IOMEGA parallel port (ppa - older drives)

iSCSI Transport Attributes

ISP16/MAD16/Mozart soft configurable cdrom interface support

legacy /proc/scsi/ support

Long delays for Toshiba CD-ROMs

LSI Logic Management Module (New Driver)

LSI Logic MegaRAID Driver (New Driver)

Macintosh NCR5380 SCSI

Macintosh NCR53c9[46] SCSI

Matsushita/Panasonic/Creative, Longshine, TEAC CDROM support

maximum number of queued commands

maximum synchronous transfer rate (MB/s) (0 = async)

MESH (Power Mac internal SCSI) support

Microtek X6USB scanner support

MIPS JAZZ FAS216 SCSI support

Mitsumi (standard) [no XA/Multisession] CDROM support

Mitsumi [XA/MultiSession] CDROM support

NCR Dual 700 MCA SCSI support

NCR MCA 53C9x SCSI support

NCR Quad 720 MCA SCSI support

NCR53c406a SCSI support

NCR53C710 SCSI driver for BVME6000

NCR53C710 SCSI driver for MVME16x

NinjaSCSI-3 / NinjaSCSI-32Bi (16bit) PCMCIA support

not allow targets to disconnect

NVIDIA SATA support

Oak SCSI support (EXPERIMENTAL)

Omit FlashPoint support

Optics Storage DOLPHIN 8000AT CDROM support

Pacific Digital SATA QStor support

Parallel SCSI (SPI) Transport Attributes

PAS16 SCSI support

PCI2000 support

PCI2220i support

Philips/LMS CM206 CDROM support

PowerTec support

ppa/imm option - Assume slow parport control register

ppa/imm option - Use slow (but safe) EPP-16

Probe all LUNs on each SCSI device

Promise SATA SX4 support

Promise SATA TX2/TX4 support

PSI240i support

PTI Qlogic, ISP Driver

Qlogic FAS SCSI support

Qlogic ISP FC SCSI support

Qlogic ISP SCSI support (old driver)

QLogic ISP2100 host adapter family support

QLogic ISP2200 host adapter family support

QLogic ISP2300 host adapter family support

QLogic ISP2322 host adapter family support

QLogic ISP63xx host adapter family support

Qlogic QLA 1020/1040 SCSI support

Qlogic QLA 1240/1x80/1x160 SCSI support
Reset SCSI-devices at boottime
Sanyo CDR-H94A CDROM support
SBP-2 support (Harddisks etc.)
SCSI CDROM support
SCSI debugging host simulator
SCSI device support
SCSI disk support
SCSI emulation support
SCSI generic support
SCSI logging facility
SCSI OnStream SC-x0 tape support
SCSI tape support
Seagate ST-02 and Future Domain TMC-8xx SCSI support
Serial ATA (SATA) support
ServerWorks Frodo / Apple K2 SATA support
SGI WD93C93 SCSI Driver
Silicon Image SATA support
Simple 53c710 SCSI support (Compaq, NCR machines)
SIS 964/180 SATA support
Sony CDU31A/CDU33A CDROM support
Sony CDU535 CDROM support
Sparc ESP Scsi Driver
Sun3 NCR5380 SCSI
Sun3x ESP SCSI
SYM53C8XX Version 2 SCSI support
Symbios 53c416 SCSI support
synchronous transfers frequency in MHz
Tekram DC390(T) and Am53/79C974 SCSI support
Tekram DC395(U/UW/F) and DC315(U) SCSI support (EXPERIMENTAL)
Trantor T128/T128F/T228 SCSI support
ULi Electronics SATA support
UltraStor 14F/34F support
UltraStor SCSI support
use port IO
Verbose SCSI error reporting (kernel size +=12K)
VIA SATA support
VITESSE VSC-7174 SATA support
WD33C93 SCSI driver for MVME147
Workbit NinjaSCSI-32Bi/UDE support
Zalon SCSI support

SATA Devices

3ware 9xxx SATA-RAID support
AHCI SATA support
Intel PIIX/ICH SATA support
NVIDIA SATA support
Pacific Digital SATA QStor support
Promise SATA SX4 support
Promise SATA SX8 support
Promise SATA TX2/TX4 support
Serial ATA (SATA) support
ServerWorks Frodo / Apple K2 SATA support
Silicon Image SATA support
SiS 964/180 SATA support
Support for SATA (deprecated; conflicts with libata SATA driver)
ULi Electronics SATA support
VIA SATA support
VITESSE VSC-7174 SATA support

Chipsets

ALI chipset support
AMD Irongate, 761, and 762 chipset support
Amiga AGA chipset support
Amiga ECS chipset support
Amiga native chipset support
Amiga OCS chipset support
ARCnet COM20020 chipset driver
ARCnet COM90xx (IO mapped) chipset driver
ARCnet COM90xx (normal) chipset driver
ARCnet COM90xx (RIM I) chipset driver

Atari native chipset support	Intel 440LX/BX/GX, I8xx and E7x05 chipset support
ATI chipset support	Intel 460GX chipset support
Atmel at76c50x chipset 802.11b support	Intel i865 chipset support
CMD640 chipset bugfix/support	Marvell Yukon Chipset / SysKonnect SK-98xx Support
generic/default IDE chipset support	NVIDIA nForce/nForce2 chipset support
Hermes chipset 802.11b support (Orinoco/Prism2/Symbol)	PCI IDE chipset support
HiSax SiemensChipSet driver support	Serverworks LE/HE chipset support
HP ZX1 chipset AGP support	SiS chipset support
IBM Lanstreamer chipset PCI adapter support	SuperIO chipset support (EXPERIMENTAL)
IBM Olympic chipset PCI adapter support	Support for thermal mgmnt on laptops with ADT 746x chipset
IBM Tropic chipset based adapter support	VIA chipset support

RAID Devices

3ware 5/6/7/8xxx ATA-RAID support	LSI Logic MegaRAID Driver (New Driver)
3ware 9xxx SATA-RAID support	Mylex DAC960/DAC1100 PCI RAID Controller support
Adaptec AACRAID support	RAID support
Adaptec I2O RAID support	RAID-0 (striping) mode
IBM Power Linux RAID adapter support	RAID-1 (mirroring) mode
IBM ServeRAID support	RAID-10 (mirrored striping) mode (EXPERIMENTAL)
Intel/ICP (former GDT SCSI Disk Array) RAID Controller support	RAID-4/RAID-5 mode
LSI Logic Management Module (New Driver)	RAID-6 mode (EXPERIMENTAL)

USB Devices

/dev/hiddev raw HID device support	Dynamic USB minor allocation (EXPERIMENTAL)
Aiptek 6000U/8000U tablet support	eGalax TouchKit USB Touchscreen Driver
Alcatel Speedtouch USB support	EHCI HCD (USB 2.0) support
ATI / X10 USB RF remote control	EMI 2 6 USB Audio interface support
Berkshire Products USB-PC Watchdog	EMI 6 2m USB Audio interface support
CPiA USB Lowlevel Support	Enable support for some misdesigned (see help) devices, which identify with wrong IDs
Cypress USB thermometer driver support	Enforce USB bandwidth allocation (EXPERIMENTAL)
DABUSB driver	File-backed Storage Gadget testing version
Datafab Compact Flash Reader support (EXPERIMENTAL)	Freecom USB/ATAPI Bridge support
depends on USB_GADGET_PXA2XX	Generic USB ATM/DSL core I/O support
DiBcom USB DVB-T devices (see help for a complete device list)	Griffin PowerMate and Contour Jog support
D-Link USB FM radio support (EXPERIMENTAL)	HCI BCM203x USB driver
DS9490R transport layer driver	HCI BlueFRITZ! USB driver
DS9490R USB <	HCI BPA10x USB driver

HCI USB driver

HFC USB based ISDN modems (EXPERIMENTAL)

HNP Test Device

HP CD-Writer 82xx support (EXPERIMENTAL)

HP53xx USB scanner support

I-Force USB joysticks and wheels

IrDA USB dongles

ISD-200 USB/ATA Bridge support

KB Gear JamStudio tablet support

Lexar Jumpshot Compact Flash Reader (EXPERIMENTAL)

Low Performance USB Block driver

Microtech/ZiO! CompactFlash/SmartMedia support

Microtek X6USB scanner support

MicroTouch USB Touchscreen Driver

Multi-purpose USB Networking Framework

Number of queued USB Request Blocks for Highspeed Stream Transfers

OHCI HCD support

Rely on OTG Targeted Peripherals List

RNDIS support (EXPERIMENTAL)

SanDisk SDDR-09 (and other SmartMedia) support (EXPERIMENTAL)

SanDisk SDDR-55 SmartMedia support (EXPERIMENTAL)

SCO (voice) support

Siemens ID USB Mouse Fingerprint sensor support

SigmaTel STIr4200 bridge (EXPERIMENTAL)

SL811HS HCD support

ST5481 USB ISDN modem (EXPERIMENTAL)

Support for Host-side USB

Technotrend/Hauppauge Nova-USB devices

Technotrend/Hauppauge USB DEC devices

Terratec CinergyT2/qanu USB2 DVB-T receiver

UHCI HCD (most Intel and VIA) support

USB 3com HomeConnect (aka vicam) support (EXPERIMENTAL)

USB Audio support

USB Auerswald ISDN support (EXPERIMENTAL)

USB Belkin and Peracom Single Port Serial Driver

USB Bluetooth TTY support

USB CATC NetMate-based Ethernet device support (EXPERIMENTAL)

USB ConnectTech WhiteHEAT Serial Driver

USB Cypress M8 USB Serial Driver

USB device filesystem

USB Diamond Rio500 support (EXPERIMENTAL)

USB Digi International AccelePort USB Serial Driver

USB Empeg empeg-car Mark I/II Driver

USB FTDI Single Port Serial Driver (EXPERIMENTAL)

USB Garmin GPS driver

USB Generic Serial Driver

USB Handspring Visor / Palm m50x / Sony Clie Driver

USB HIDBP Keyboard (simple Boot) support

USB HIDBP Mouse (simple Boot) support

USB Human Interface Device (full HID) support

USB IBM (Xirlink) C-it Camera support

USB Inside Out Edgeport Serial Driver

USB Inside Out Edgeport Serial Driver (TI devices)

USB IPWireless (3G UMTS TDD) Driver (EXPERIMENTAL)

USB IR Dongle Serial Driver (EXPERIMENTAL)

USB Keyspan MPR Firmware

USB Keyspan PDA Single Port Serial Driver

USB Keyspan USA-18X Firmware

USB Keyspan USA-19 Firmware

USB Keyspan USA-19QI Firmware

USB Keyspan USA-19QW Firmware

USB Keyspan USA-19W Firmware

USB Keyspan USA-28 Firmware

USB Keyspan USA-28X Firmware

USB Keyspan USA-28XA Firmware

USB Keyspan USA-28XB Firmware

USB Keyspan USA-49W Firmware

USB Keyspan USA-49WLC Firmware

USB Keyspan USA-xxx Serial Driver

USB KL5KUSB105 (Palmconnect) Driver (EXPERIMENTAL)

USB KLSI KL5USB101-based ethernet device support

USB KOBIL chipcard reader

USB Konica Webcam support

USB LCD driver support

USB LED driver support

USB Lego Infrared Tower support (EXPERIMENTAL)

USB Mass Storage support

USB Mass Storage verbose debug

USB Mass Storage Write-Protected Media Detection
(EXPERIMENTAL)

USB MCT Single Port Serial Driver

USB MIDI support

USB Modem (CDC ACM) support

USB Mustek MDC800 Digital Camera support
(EXPERIMENTAL)

USB OV511 Camera support

USB Pegasus/Pegasus-II based ethernet device support

USB PhidgetKit support

USB PhidgetServo support

USB PocketPC PDA Driver

USB Printer support

USB Prolific 2303 Single Port Serial Driver

USB REINER SCT cyberJack pinpad/e-com chipcard reader
(EXPERIMENTAL)

USB RTL8150 based ethernet device support
(EXPERIMENTAL)

USB Safe Serial (Encapsulated) Driver (EXPERIMENTAL)

USB SE401 Camera support

USB Secure Encapsulated Driver - Padded

USB Serial Console device support (EXPERIMENTAL)

USB Serial Converter support

USB SN9C10x PC Camera Controller support

USB STV680 (Pencam) Camera support

USB suspend/resume (EXPERIMENTAL)

USB testing driver (DEVELOPMENT)

USB TI 3410/5052 Serial Driver

USB verbose debug messages

USB W996[87]CF JPEG Dual Mode Camera support

USB Xircom / Entegra Single Port Serial Driver

USB ZyXEL omni.net LCD Plus Driver (EXPERIMENTAL)

USS720 parport driver

Wacom Intuos/Graphire tablet support

X-Box gamepad support