

## VAM-supported hardware components

This technical note lists the hardware supported by the v5.5 release of StillSecure® VAM™. The following categories are covered:

- “Network devices” on page 1
- “SCSI devices” on page 4
- “SATA devices” on page 6
- “Chipsets” on page 7
- “RAID devices” on page 7
- “USB devices” on page 7

---

### Network devices

- 3c501 "EtherLink" support
- 3c503 "EtherLink II" support
- 3c505 "EtherLink Plus" support
- 3c507 "EtherLink 16" support (EXPERIMENTAL)
- 3c509/3c529 (MCA)/3c569B (98)/3c579 "EtherLink III" support
- 3c515 ISA "Fast EtherLink"
- 3c523 "EtherLink/MC" support
- 3c527 "EtherLink/MC 32" support (EXPERIMENTAL)
- 3c590/3c900 series (592/595/597) "Vortex/Boomerang" support
- 3Com 3c574 PCMCIA support
- 3Com 3c589 PCMCIA support
- 3COM cards
- 3cr990 series "Typhoon" support
- A2065 support
- Acorn Ether1 support
- Acorn/ANT Ether3 support
- Adaptec Starfire/DuraLAN support
- Aironet Arlan 655 & IC2200 DS support
- Alteon AceNIC/3Com 3C985/NetGear GA620 Gigabit support
- Altera Ether00 support
- AMD 8111 (new PCI lance) support
- AMD LANCE and PCnet (AT1500 and NE2100) support
- AMD PCnet32 PCI support
- Ansel Communications EISA 3200 support (EXPERIMENTAL)
- Apricot Xen-II on board Ethernet
- ARCnet COM20020 chipset driver
- ARCnet COM90xx (IO mapped) chipset driver
- ARCnet COM90xx (normal) chipset driver
- ARCnet COM90xx (RIM I) chipset driver
- ARCnet support
- Ariadne support
- ARM EBSA110 AM79C961A support
- Asix AX88190 PCMCIA support
- AT&T/Lucent old WaveLAN & DEC RoamAbout DS ISA support
- AT&T/Lucent old WaveLAN Pcmcia wireless support
- AT1700/1720/RE1000Plus(C-Bus) support (EXPERIMENTAL)
- Atari Lance support
- AT-LAN-TEC/RealTek pocket adapter support
- ATM over TCP
- Atmel at76c502/at76c504 PCMCIA cards
- Atmel at76c50x chipset 802.11b support
- Aviator/Raytheon 2.4MHz wireless support
- Baget AMD LANCE support
- BioNet-100 support
- BMAC (G3 ethernet) support
- Bonding driver support
- BPO Ethernet driver
- Broadcom 4400 ethernet support (EXPERIMENTAL)
- BVME6000 Ethernet support
- Cabletron E21xx support
- CFI Flash device mapped on AMD NetSc520

CFI Flash device mapped on DIL/Net PC	FMV-181/182/183/184 support (OBSOLETE)
CFI Flash device mapped on the FortuNet board	Fujitsu FMV-J18x PCMCIA support
Cisco/Aironet 34X/35X/4500/4800 ISA and PCI cards	Fusion MPT LAN driver
Cisco/Aironet 34X/35X/4500/4800 PCMCIA cards	General Instruments Surfboard 1000
COM20020 ARCnet PCMCIA support	Generic DECchip & DIGITAL EtherWORKS PCI/EISA
CS89x0 support	Generic Media Independent Interface device support
CTC device support	Gianfar Ethernet
Davicom DM910x/DM980x support	Gigabit Ethernet device support
DEC LANCE ethernet controller support	Hermes chipset 802.11b support (Orinoco/Prism2/Symbol)
DECchip Tulip (dc2114x) PCI support	Hermes in PLX9052 based PCI adaptor support (Netgear MA301 etc.) (EXPERIMENTAL)
DEPCA, DE10x, DE200, DE201, DE202, DE422 support	Hermes PCMCIA card support
depends on NET	HP 10/100VG PCLAN (ISA, EISA, PCI) support
Digi Intl. RightSwitch SE-X support	HP on-board LANCE support
D-Link DE600 pocket adapter support	HP PCLAN (27245 and other 27xxx series) support
D-Link DE620 pocket adapter support	HP PCLAN+ (27247B and 27252A) support
D-Link DL2000-based Gigabit Ethernet support	Hydra support
Dummy net driver support	IBM LAN Adapter/A support
Early DECchip Tulip (dc2104x) PCI support (EXPERIMENTAL)	IBM LAN Virtual Ethernet support
Efficient Networks ENI155P	IBM PCMCIA tokenring adapter support
Efficient Networks Speedstream 3010	ICL EtherTeam 16i/32 support
EISA, VLB, PCI and on board controllers	I-cubed EtherH/ANT EtherM support
Embedded Planet RPX Lite/Classic support	Intel(R) PRO/100+ support
Enable CAP mode packet interface	Intel(R) PRO/1000 Gigabit Ethernet support
Enable old ARCNet packet format (RFC 1051)	IP-over-InfiniBand
Enable raw mode packet interface	IPv6 support for gigabit ethernet
Enable standard ARCNet packet format (RFC 1201)	iSeries Virtual Ethernet driver support
EQL (serial line load balancing) support	IUCV network device support (VM only)
EtherExpress 16 support	Lan Channel Station Interface
EtherExpressPro support/EtherExpress 10 (i82595) support	LAPB over Ethernet driver (EXPERIMENTAL)
EtherExpressPro/100 support (eepro100, original Becker driver)	Lasi ethernet
Ethernet (10 or 100Mbit)	LP486E on board Ethernet
Ethernet Gadget (with CDC Ethernet support)	MACE (Power Mac ethernet) support
Ethernet over 1394	Macintosh (AV) onboard MACE ethernet (EXPERIMENTAL)
Ethertap network tap	Macintosh CS89x0 based ethernet cards
EtherWORKS 3 (DE203, DE204, DE205) support	Macintosh NS 8390 based ethernet cards
FEC ethernet controller (of ColdFire 5272)	Macintosh SONIC based ethernet (onboard, NuBus, LC, CS)
Fibre Channel driver support	

MIPS AU1000 Ethernet support  
MIPS GT96100 Ethernet support  
MIPS JAZZ onboard SONIC Ethernet support  
Motorola 68360 ethernet controller  
Motorola 8xx FEC driver  
Multi-purpose USB Networking Framework  
MV-643XX Ethernet support  
MVME147 (Lance) Ethernet support  
MVME16x Ethernet support  
Mylex EISA LNE390A/B support (EXPERIMENTAL)  
MyriCOM Gigabit Ethernet support  
Myson MTD-8xx PCI Ethernet support  
National DP83902AV (Oak ethernet) support  
National DP83902AV support  
National Semiconductor DP8381x series PCI Ethernet support  
NE/2 (ne2000 MCA version) support  
NE2000 compatible PCMCIA support  
NE2000 compatible support for H8/300  
NE2000/NE1000 support  
NETjet card  
NETspider U card  
NetWinder Button  
NetWinder flash support  
NetWinder thermometer support  
NetWinder WB83C977 watchdog  
Network block device support  
Network console logging support (EXPERIMENTAL)  
New Media PCMCIA support  
NI5010 support (EXPERIMENTAL)  
NI5210 support  
NI6510 support  
Novell/Eagle/Microdyne NE3210 EISA support (EXPERIMENTAL)  
Other ISA cards  
Packet Engines Yellowfin Gigabit-NIC support (EXPERIMENTAL)  
PAMsNet support  
PCI NE2000 and clones support (see help)  
PCMCIA NE2000 support  
Philips SAA9730 Ethernet support (EXPERIMENTAL)  
Planet WL3501 PCMCIA cards  
PLIP (parallel port) support  
Pocket and portable adapters  
PPP (point-to-point protocol) support  
PPP over Ethernet (EXPERIMENTAL)  
QuickNet Internet LineJack/PhoneJack PCMCIA support  
QuickNet Internet LineJack/PhoneJack support  
Racal-Interlan (Micom) NI cards  
Racal-Interlan EISA ES3210 support (EXPERIMENTAL)  
Raw HDLC Ethernet device support  
Realtek 8169 gigabit ethernet support  
RealTek RTL-8139 C+ PCI Fast Ethernet Adapter support (EXPERIMENTAL)  
RealTek RTL-8139 PCI Fast Ethernet Adapter support  
Receive hardware checksums  
Reverse Engineered nForce Ethernet support (EXPERIMENTAL)  
SB1250 Ethernet support  
SEEQ8005 support (EXPERIMENTAL)  
SGI IOC3 Ethernet  
SGI O2 MACE Fast Ethernet support  
SGI Seeq ethernet controller support  
SiS 900/7016 PCI Fast Ethernet Adapter support  
Size of DIL/Net PC flash boot partition  
SK\_G16 support (OBSOLETE)  
SKnet MCA support  
SLIP (serial line) support  
SMC 9194 support  
SMC 91Cxx PCMCIA support  
SMC EtherPower II  
SMC Ultra MCA support  
SMC Ultra support  
SMC Ultra32 EISA support  
STRIP (Metricom star mode radio IP)  
Sun BigMAC 10/100baseT support (EXPERIMENTAL)  
Sun GEM support  
Sun Happy Meal 10/100baseT support  
Sun LANCE support  
Sun QuadEthernet support

Sun3 on-board Intel 82586 support	USB RTL8150 based ethernet device support (EXPERIMENTAL)
Sun3/Sun3x on-board LANCE support	USB ZyXEL omni.net LCD Plus Driver (EXPERIMENTAL)
Sundance Alta support	VIA Rhine support
Support for COM20020 on ISA	VIA Velocity support
Support for COM20020 on PCI	VLAN support for gigabit ethernet
Support synchronous PPP	WD80*3 support
TI ThunderLAN support	Western Digital/SMC cards
TOSHIBA TC35815 Ethernet support	Winbond W89c840 Ethernet support
Traffic Shaper (EXPERIMENTAL)	Xircom 16-bit PCMCIA support
Transmit hardware checksums	Xircom CardBus support (new driver)
tristate 'Intersil Prism GT/Duette/Indigo PCI/ Cardbus'	Xircom Netwave AirSurfer Pcmcia wireless support
Universal TUN/TAP device driver support	Xircom Tulip-like CardBus support (old driver)
USB CATC NetMate-based Ethernet device support (EXPERIMENTAL)	ZeitNet ZN1221/ZN1225
USB KLSI KL5USB101-based ethernet device support	Zenith Z-Note support (EXPERIMENTAL)
USB Pegasus/Pegasus-II based ethernet device support	Zorro NS8390-based Ethernet support

---

## SCSI devices

3ware 5/6/7/8xxx ATA-RAID support	Amiga NCR53c710 SCSI support (EXPERIMENTAL)
3ware 9xxx SATA-RAID support	ARXE SCSI support
53C94 (Power Mac external SCSI) support	Atari native SCSI support
7000FASST SCSI support	Aztech/Orchid/Okano/Wearnes/TXC/CyDROM CDROM support
A2091/A590 WD33C93A support	Blizzard 1230IV/1260 SCSI support
A3000 WD33C93A support	Blizzard 2060 SCSI support
ACARD SCSI support	BSC Oktagon SCSI support (EXPERIMENTAL)
Acorn SCSI card (aka30) support	BusLogic SCSI support
Adaptec AACRAID support	Compaq Fibre Channel 64-bit/66Mhz HBA support
Adaptec AHA152X/2825 support	CumanaSCSI I support (EXPERIMENTAL)
Adaptec AHA1542 support	CumanaSCSI II support
Adaptec AHA1740 support	CyberStorm Mk II SCSI support
Adaptec AIC79xx U320 support	CyberStorm SCSI support
Adaptec AIC7xxx Fast	DEC NCR53C94 Scsi Driver
Adaptec AIC7xxx support (old driver)	DEC SII Scsi Driver
Adaptec I2O RAID support	Decode registers during diagnostics
AdvanSys SCSI support	default tagged command queue depth
AHCI SATA support	DMA addressing mode
allow FAST-SCSI [10MHz]	DMX3191D SCSI support
Always IN2000 SCSI support	

DTC3180/3280 SCSI support

EATA ISA/EISA/PCI (DPT and generic EATA/DMA-compliant boards) support

EATA-PIO (old DPT PM2001, PM2012A) support

EcoScsi support (EXPERIMENTAL)

EESOX support

enable adapter dump support

enable driver internal trace

enable elevator sorting

Enable NCR53c400 extensions

enable profiling

enable tagged command queueing

Enable vendor-specific extensions (for SCSI CDROM)

Fastlane SCSI support

FiberChannel Transport Attributes

Fibre Channel and FC4 SCSI support

Fibre Channel driver support

Fusion MPT (base + ScsiHost) drivers

Future Domain 16xx SCSI/AHA-2920A support

Future Domain MCS-600/700 SCSI support

Generic NCR5380/53c400 SCSI MMIO support

Generic NCR5380/53c400 SCSI PIO support

Goldstar R420 CDROM support

GVP Series II WD33C93A support

HP Lasi SCSI support for 53c700/710

HP53xx USB scanner support

I2O SCSI OSM

IBM Power Linux RAID adapter support

IBM ServeRAID support

IBM Virtual SCSI support

IBMMCA SCSI support

Include loadable firmware in driver

initial bus reset delay (ms) (0 = no reset)

Initio 9100U(W) support

Initio INI-A100U2W support

Intel PIIX/ICH SATA support

Intel/ICP (former GDT SCSI Disk Array) RAID Controller support

IOMEGA parallel port (imm - newer drives)

IOMEGA parallel port (ppa - older drives)

iSCSI Transport Attributes

ISP16/MAD16/Mozart soft configurable cdrom interface support

legacy /proc/scsi/ support

Long delays for Toshiba CD-ROMs

LSI Logic Management Module (New Driver)

LSI Logic MegaRAID Driver (New Driver)

Macintosh NCR5380 SCSI

Macintosh NCR53c9[46] SCSI

Matsushita/Panasonic/Creative, Longshine, TEAC CDROM support

maximum number of queued commands

maximum synchronous transfer rate (MB/s) (0 = async)

MESH (Power Mac internal SCSI) support

Microtek X6USB scanner support

MIPS JAZZ FAS216 SCSI support

Mitsumi (standard) [no XA/Multisession] CDROM support

Mitsumi [XA/MultiSession] CDROM support

NCR Dual 700 MCA SCSI support

NCR MCA 53C9x SCSI support

NCR Quad 720 MCA SCSI support

NCR53c406a SCSI support

NCR53C710 SCSI driver for BVME6000

NCR53C710 SCSI driver for MVME16x

NinjaSCSI-3 / NinjaSCSI-32Bi (16bit) PCMCIA support

not allow targets to disconnect

NVIDIA SATA support

Oak SCSI support (EXPERIMENTAL)

Omit FlashPoint support

Optics Storage DOLPHIN 8000AT CDROM support

Pacific Digital SATA QStor support

Parallel SCSI (SPI) Transport Attributes

PAS16 SCSI support

PCI2000 support

PCI2220i support

Philips/LMS CM206 CDROM support

PowerTec support

ppa/imm option - Assume slow parport control register

ppa/imm option - Use slow (but safe) EPP-16

Probe all LUNs on each SCSI device

Promise SATA SX4 support	ServerWorks Frodo / Apple K2 SATA support
Promise SATA TX2/TX4 support	SGI WD93C93 SCSI Driver
PSI240i support	Silicon Image SATA support
PTI Qlogic, ISP Driver	Simple 53c710 SCSI support (Compaq, NCR machines)
Qlogic FAS SCSI support	SiS 964/180 SATA support
Qlogic ISP FC SCSI support	Sony CDU31A/CDU33A CDRom support
Qlogic ISP SCSI support (old driver)	Sony CDU535 CDRom support
QLogic ISP2100 host adapter family support	Sparc ESP Scsi Driver
QLogic ISP2200 host adapter family support	Sun3 NCR5380 SCSI
QLogic ISP2300 host adapter family support	Sun3x ESP SCSI
QLogic ISP2322 host adapter family support	SYM53C8XX Version 2 SCSI support
QLogic ISP63xx host adapter family support	Symbios 53c416 SCSI support
Qlogic QLA 1020/1040 SCSI support	synchronous transfers frequency in MHz
Qlogic QLA 1240/1x80/1x160 SCSI support	Tekram DC390(T) and Am53/79C974 SCSI support
Reset SCSI-devices at boottime	Tekram DC395(U/UW/F) and DC315(U) SCSI support (EXPERIMENTAL)
Sanyo CDR-H94A CDRom support	Trantor T128/T128F/T228 SCSI support
SBP-2 support (Harddisks etc.)	ULi Electronics SATA support
SCSI CDRom support	UltraStor 14F/34F support
SCSI debugging host simulator	UltraStor SCSI support
SCSI device support	use port IO
SCSI disk support	Verbose SCSI error reporting (kernel size +=12K)
SCSI emulation support	VIA SATA support
SCSI generic support	VITESSE VSC-7174 SATA support
SCSI logging facility	WD33C93 SCSI driver for MVME147
SCSI OnStream SC-x0 tape support	Workbit NinjaSCSI-32Bi/UDE support
SCSI tape support	Zalon SCSI support
Seagate ST-02 and Future Domain TMC-8xx SCSI support	
Serial ATA (SATA) support	

---

## SATA devices

3ware 9xxx SATA-RAID support	ServerWorks Frodo / Apple K2 SATA support
AHCI SATA support	Silicon Image SATA support
Intel PIIX/ICH SATA support	SiS 964/180 SATA support
NVIDIA SATA support	Support for SATA (deprecated; conflicts with libata SATA driver)
Pacific Digital SATA QStor support	ULi Electronics SATA support
Promise SATA SX4 support	VIA SATA support
Promise SATA SX8 support	VITESSE VSC-7174 SATA support
Promise SATA TX2/TX4 support	
Serial ATA (SATA) support	

---

## Chipsets

ALI chipset support	HP ZX1 chipset AGP support
AMD Irongate, 761, and 762 chipset support	IBM Lanstreamer chipset PCI adapter support
Amiga AGA chipset support	IBM Olympic chipset PCI adapter support
Amiga ECS chipset support	IBM Tropic chipset based adapter support
Amiga native chipset support	Intel 440LX/BX/GX, I8xx and E7x05 chipset support
Amiga OCS chipset support	Intel 460GX chipset support
ARCnet COM20020 chipset driver	Intel i865 chipset support
ARCnet COM90xx (IO mapped) chipset driver	Marvell Yukon Chipset / SysKonnnect SK-98xx Support
ARCnet COM90xx (normal) chipset driver	NVIDIA nForce/nForce2 chipset support
ARCnet COM90xx (RIM I) chipset driver	PCI IDE chipset support
Atari native chipset support	Serverworks LE/HE chipset support
ATI chipset support	SiS chipset support
Atmel at76c50x chipset 802.11b support	SuperIO chipset support (EXPERIMENTAL)
CMD640 chipset bugfix/support	Support for thermal mgmnt on laptops with ADT 746x chipset
generic/default IDE chipset support	VIA chipset support
Hermes chipset 802.11b support (Orinoco/Prism2/Symbol)	
HiSax SiemensChipSet driver support	

---

## RAID devices

3ware 5/6/7/8xxx ATA-RAID support	LSI Logic MegaRAID Driver (New Driver)
3ware 9xxx SATA-RAID support	Mylex DAC960/DAC1100 PCI RAID Controller support
Adaptec AACRAID support	RAID support
Adaptec I2O RAID support	RAID-0 (striping) mode
IBM Power Linux RAID adapter support	RAID-1 (mirroring) mode
IBM ServeRAID support	RAID-10 (mirrored striping) mode (EXPERIMENTAL)
Intel/ICP (former GDT SCSI Disk Array) RAID Controller support	RAID-4/RAID-5 mode
LSI Logic Management Module (New Driver)	RAID-6 mode (EXPERIMENTAL)

---

## USB devices

/dev/hiddev raw HID device support	Cypress USB thermometer driver support
Aiptek 6000U/8000U tablet support	DABUSB driver
Alcatel Speedtouch USB support	Datafab Compact Flash Reader support (EXPERIMENTAL)
ATI / X10 USB RF remote control	depends on USB_GADGET_PXA2XX
Berkshire Products USB-PC Watchdog	DiBcom USB DVB-T devices (see help for a complete device list)
CPiA USB Lowlevel Support	

D-Link USB FM radio support (EXPERIMENTAL)  
DS9490R transport layer driver  
DS9490R USB <  
Dynamic USB minor allocation (EXPERIMENTAL)  
eGalax TouchKit USB Touchscreen Driver  
EHCI HCD (USB 2.0) support  
EMI 2|6 USB Audio interface support  
EMI 6|2m USB Audio interface support  
Enable support for some misdesigned (see help) devices, which identify with wrong IDs  
Enforce USB bandwidth allocation (EXPERIMENTAL)  
File-backed Storage Gadget testing version  
Freecom USB/ATAPI Bridge support  
Generic USB ATM/DSL core I/O support  
Griffin PowerMate and Contour Jog support  
HCI BCM203x USB driver  
HCI BlueFRITZ! USB driver  
HCI BPA10x USB driver  
HCI USB driver  
HFC USB based ISDN modems (EXPERIMENTAL)  
HNP Test Device  
HP CD-Writer 82xx support (EXPERIMENTAL)  
HP53xx USB scanner support  
I-Force USB joysticks and wheels  
IrDA USB dongles  
ISD-200 USB/ATA Bridge support  
KB Gear JamStudio tablet support  
Lexar Jumpshot Compact Flash Reader (EXPERIMENTAL)  
Low Performance USB Block driver  
Microtech/ZIO! CompactFlash/SmartMedia support  
Microtek X6USB scanner support  
MicroTouch USB Touchscreen Driver  
Multi-purpose USB Networking Framework  
Number of queued USB Request Blocks for Highspeed Stream Transfers  
OHCI HCD support  
Rely on OTG Targeted Peripherals List  
RNDIS support (EXPERIMENTAL)  
SanDisk SDDR-09 (and other SmartMedia) support (EXPERIMENTAL)  
SanDisk SDDR-55 SmartMedia support (EXPERIMENTAL)  
SCO (voice) support  
Siemens ID USB Mouse Fingerprint sensor support  
SigmaTel STIr4200 bridge (EXPERIMENTAL)  
SL811HS HCD support  
ST5481 USB ISDN modem (EXPERIMENTAL)  
Support for Host-side USB  
Technotrend/Hauppauge Nova-USB devices  
Technotrend/Hauppauge USB DEC devices  
Terratec CinergyT2/qanu USB2 DVB-T receiver  
UHCI HCD (most Intel and VIA) support  
USB 3com HomeConnect (aka vicam) support (EXPERIMENTAL)  
USB Audio support  
USB Auerswald ISDN support (EXPERIMENTAL)  
USB Belkin and Peracom Single Port Serial Driver  
USB Bluetooth TTY support  
USB CATC NetMate-based Ethernet device support (EXPERIMENTAL)  
USB ConnectTech WhiteHEAT Serial Driver  
USB Cypress M8 USB Serial Driver  
USB device filesystem  
USB Diamond Rio500 support (EXPERIMENTAL)  
USB Digi International AccelePort USB Serial Driver  
USB Empeg empeg-car Mark I/II Driver  
USB FTDI Single Port Serial Driver (EXPERIMENTAL)  
USB Garmin GPS driver  
USB Generic Serial Driver  
USB Handspring Visor / Palm m50x / Sony Clie Driver  
USB HIDBP Keyboard (simple Boot) support  
USB HIDBP Mouse (simple Boot) support  
USB Human Interface Device (full HID) support  
USB IBM (Xirlink) C-it Camera support  
USB Inside Out Edgeport Serial Driver  
USB Inside Out Edgeport Serial Driver (TI devices)  
USB IPWireless (3G UMTS TDD) Driver (EXPERIMENTAL)  
USB IR Dongle Serial Driver (EXPERIMENTAL)

USB Keyspan MPR Firmware  
USB Keyspan PDA Single Port Serial Driver  
USB Keyspan USA-18X Firmware  
USB Keyspan USA-19 Firmware  
USB Keyspan USA-19QI Firmware  
USB Keyspan USA-19QW Firmware  
USB Keyspan USA-19W Firmware  
USB Keyspan USA-28 Firmware  
USB Keyspan USA-28X Firmware  
USB Keyspan USA-28XA Firmware  
USB Keyspan USA-28XB Firmware  
USB Keyspan USA-49W Firmware  
USB Keyspan USA-49WLC Firmware  
USB Keyspan USA-xxx Serial Driver  
USB KL5KUSB105 (Palmconnect) Driver (EXPERIMENTAL)  
USB KLSI KL5USB101-based ethernet device support  
USB KOBIL chipcard reader  
USB Konica Webcam support  
USB LCD driver support  
USB LED driver support  
USB Lego Infrared Tower support (EXPERIMENTAL)  
USB Mass Storage support  
USB Mass Storage verbose debug  
USB Mass Storage Write-Protected Media Detection (EXPERIMENTAL)  
USB MCT Single Port Serial Driver  
USB MIDI support  
USB Modem (CDC ACM) support  
USB Mustek MDC800 Digital Camera support (EXPERIMENTAL)  
USB OV511 Camera support  
USB Pegasus/Pegasus-II based ethernet device support  
USB PhidgetKit support  
USB PhidgetServo support  
USB PocketPC PDA Driver  
USB Printer support  
USB Prolific 2303 Single Port Serial Driver  
USB REINER SCT cyberJack pinpad/e-com chipcard reader (EXPERIMENTAL)  
USB RTL8150 based ethernet device support (EXPERIMENTAL)  
USB Safe Serial (Encapsulated) Driver (EXPERIMENTAL)  
USB SE401 Camera support  
USB Secure Encapsulated Driver - Padded  
USB Serial Console device support (EXPERIMENTAL)  
USB Serial Converter support  
USB SN9C10x PC Camera Controller support  
USB STV680 (Pencam) Camera support  
USB suspend/resume (EXPERIMENTAL)  
USB testing driver (DEVELOPMENT)  
USB TI 3410/5052 Serial Driver  
USB verbose debug messages  
USB W996[87]CF JPEG Dual Mode Camera support  
USB Xircom / Entegra Single Port Serial Driver  
USB ZyXEL omni.net LCD Plus Driver (EXPERIMENTAL)  
USS720 parport driver  
Wacom Intuos/Graphire tablet support  
X-Box gamepad support